

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name: Technovit 4006 liquid****1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.**Application of the substance / the mixture** Resin for metallographic testing**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)6181 9689-2570 (Wehrheim)

Informing department: email: technik.wehrheim@kulzer-dental.com**1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463****SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms

GHS02 GHS07

Signal word Danger**Hazard-determining components of labelling:**

methyl methacrylate

1,4-butandiol dimethacrylate

methacrylic acid

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241

Use explosion-proof [electrical/ventilating/lighting] equipment.

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

2.3 Other hazards
Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients
3.2 Mixtures
Dangerous components:

CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-xxxx	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	>90%
CAS: 2082-81-7 EINECS: 218-218-1 Reg.nr.: 01-2119967415-30-xxxx	1,4-butandiol dimethacrylate Skin Sens. 1B, H317	≥1-≤5%
CAS: 79-41-4 EINECS: 201-204-4	methacrylic acid Acute Tox. 3, H311 Skin Corr. 1A, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335 ATE: LD50 oral: 1,320 mg/kg LD50 dermal: 500 mg/kg LC50/4 h inhalative: 11 mg/l Specific concentration limit: STOT SE 3; H335: C ≥ 1 %	≥1- <3%
CAS: 63393-96-4 EINECS: 264-120-7	Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides Acute Tox. 3, H301 Repr. 2, H361 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) ATE: LD50 oral: 200 mg/kg	≥0.025- <0.25%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures
General information

Personal protection for the First Aider.

Take affected persons out of danger area and instruct to lie down.

Instantly remove any clothing soiled by the product.

After inhalation

Supply fresh air; consult doctor in case of symptoms.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 3)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 2)

- **After eye contact**
Rinse opened eye for several minutes under running water. Then consult doctor.
Remove contact lenses, if present and easy to do. Continue rinsing.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
Allergic reactions
Coughing
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents** CO₂, sand, extinguishing powder. Do not use water.
 - **For safety reasons unsuitable extinguishing agents** Water.
- **5.2 Special hazards arising from the substance or mixture**
Can form explosive gas-air mixtures.
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire
Carbon dioxide (CO₂)
Carbon monoxide (CO)
Hydrogen chloride (HCl)
- **5.3 Advice for firefighters**
 - **Protective equipment:**
Wear self-contained breathing apparatus.
(EN 133)
 - **Additional information -**

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Avoid contact with eyes and skin.
Do not breathe vapor / mist / gas.
Ensure adequate ventilation
Keep away from ignition sources
Use breathing protection against the effects of fumes/dust/aerosol.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
Do not flush with water or aqueous cleansing agents
Send for recovery or disposal in suitable containers.
- **6.4 Reference to other sections**
See Section 13 for information on disposal.
See Section 8 for information on personal protection equipment.
See Section 7 for information on safe handling

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep containers tightly sealed.

(Contd. on page 4)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 3)

Avoid contact with eyes and skin.
Do not breathe vapor / mist / gas.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Prevent formation of aerosols.

· **Information about protection against explosions and fires:**

Use explosion-proof apparatus / fittings and spark-proof tools.

Do not spray on flames or red-hot objects.

Use only in explosion-proof area.

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **Handling**

do not mix with

amine

Strong bases

Strong oxidizers

Strong acids

Radical initiator

organic peroxides

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

Store only in the original container.

Store in cool, dry place in tightly closed containers.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

80-62-6 methyl methacrylate

WEL (Great Britain)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm
---------------------	--

IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm
------------------------	--

79-41-4 methacrylic acid

WEL (Great Britain)	Short-term value: 143 mg/m ³ , 40 ppm Long-term value: 72 mg/m ³ , 20 ppm
---------------------	--

· **DNELs**

80-62-6 methyl methacrylate

Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m ³ (not defined)
	worker industrial, long term, systemic	348.4 mg/m ³ (not defined)

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 4)

	worker industrial, long term, local	208 mg/m ³ (not defined)
	general population, acute, local	208 mg/m ³ (not defined)
	general population, long term, systemic	74.3 mg/m ³ (not defined)
2082-81-7 1,4-butandioldimethacrylate		
Oral	general population, long term, systemic	2.5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	4.2 mg/Kg/d (not defined)
	general population, long term, systemic	2.5 mg/Kg/d (not defined)
Inhalative	worker professional, long term, systemic	14.5 mg/m ³ (not defined)
	general population, long term, systemic	4.3 mg/m ³ (not defined)
79-41-4 methacrylic acid		
Oral	general population, long term, systemic	5.35 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	4.25 mg/Kg/d (not defined)
	general population, long term, systemic	5.35 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	39.3 mg/m ³ (not defined)
	worker industrial, long term, local	44 mg/m ³ (not defined)
	general population, long term, systemic	11.7 mg/m ³ (not defined)
	general population, long term, local	8.8 mg/m ³ (not defined)
63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides		
Inhalative	worker professional, long term, systemic	0.42 mg/m ³ (not defined)
· PNECs		
80-62-6 methyl methacrylate		
	freshwater	0.94 mg/l (not defined)
	marine water	0.094 mg/l (not defined)
	sewage treatment plant	10 mg/l (not defined)
	sediment, dry weight, freshwater	10.2 mg/Kg (not defined)
	sediment, dry weight, marine water	0.102 mg/Kg (not defined)
	soil, dry weight	1.48 mg/Kg (not defined)
2082-81-7 1,4-butandioldimethacrylate		
	freshwater	0.043 mg/l (not defined)
	marine water	0.004 mg/l (not defined)
	sewage treatment plant	2 mg/l (not defined)
	sediment, dry weight, freshwater	3.12 mg/Kg (not defined)
	sediment, dry weight, marine water	0.312 mg/Kg (not defined)
	soil, dry weight	0.573 mg/Kg (not defined)
79-41-4 methacrylic acid		
	freshwater	0.82 mg/l (not defined)
	marine water	0.082 mg/l (not defined)
	sewage treatment plant	100 mg/l (not defined)
	sediment, dry weight, freshwater	3.09 mg/Kg (not defined)
	sediment, dry weight, marine water	0.309 mg/Kg (not defined)
	soil, dry weight	0.137 mg/Kg (not defined)
63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides		
	freshwater	0.00015 mg/l (not defined)
	marine water	0.00000002 mg/l (not defined)

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 5)

sewage treatment plant	0.44 mg/l (not defined)
sediment, dry weight, freshwater	0.00063 mg/Kg (not defined)
sediment, dry weight, marine water	0.00000006 mg/Kg (not defined)
soil, dry weight	0.00000004 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use breathing protection in case of insufficient ventilation.

Filter A/P2.

· **Hand protection**

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

chemical protection gloves are suitable, which are tested according to EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· **Eye/face protection** eye protection (EN 166)

· **Body protection:** Light weight protective clothing

· **Environmental exposure controls**

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

· **Smell:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

100.3 °C (80-62-6 methyl methacrylate)

· **Flammability**

Not applicable.

(Contd. on page 7)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 6)

· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	10 °C (80-62-6 methyl methacrylate)
· Ignition temperature:	290 °C (2082-81-7 1,4-butandioldimethacrylate)
· Decomposition temperature:	Not determined.
· SADT	
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic:	Not determined.
· Solubility	
· Water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log value)	Not determined.
· Steam pressure at 20 °C:	37 hPa (80-62-6 methyl methacrylate)
· Density and/or relative density	
· Density at 20 °C	0.94702 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	No further relevant information available.
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures is possible.
· Solvent content:	
· Water:	0.1 %
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	
Highly flammable liquid and vapour.	
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 7)

· **Desensitised explosives**

Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Danger of polymerisation
- **10.4 Conditions to avoid**
moisture exposure
Heat, flames and sparks.
- **10.5 Incompatible materials:**
amine
organic peroxides
Radical initiator
Strong bases
Strong acids
Strong oxidizers
- **10.6 Hazardous decomposition products:** None

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

80-62-6 methyl methacrylate

Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

2082-81-7 1,4-butandiol dimethacrylate

Oral	LD50	10,066 mg/kg (rat) (OECD 401)
------	------	-------------------------------

79-41-4 methacrylic acid

Oral	LD50	1,320 mg/kg (ATE) 1,320 mg/kg (rat) (OECD 401)
Dermal	LD50	500 mg/kg (ATE) 500-1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (ATE) 7.1 mg/l (rat) (OECD 403)

63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides

Oral	LD50	200 mg/kg (ATE) >200-<2,000 mg/kg (rat) (OECD 401)
------	------	---

- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 9)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 8)

- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
 May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

2082-81-7 1,4-butandiol dimethacrylate

EC50/21d	14.1 mg/L (daphnia) (OECD 211)
EC50/48h	32.5 mg/l (fish)
NOEC / 21d	5.09 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	9.79 mg/l (algae) (OECD 201)
NOEC / 72h	2.11 mg/l (algae) (OECD 201)
NOEC / 48h	25 mg/l (fish)
ErC10/72h	4.35 mg/L (algae) (OECD 201)

79-41-4 methacrylic acid

EC50/48h	>130 mg/l (daphnia) (EPA OTS 797.1300)
LC50/96h	85 mg/l (fish) (EPA OTS 797.1400)
NOEC / 21d	53 mg/l (daphnia)
ErC50 / 72 h	45 mg/l (algae) (OECD 201)
NOEC / 72h	8.2 mg/l (algae) (OECD 201)
NOEC / 96h	12 mg/l (fish) (EPA OTS 797.1400)
NOEC / 48h	130 mg/l (daphnia) (EPA OTS 797.1300)
NOEC/ 35d	10 mg/L (fish) (OECD 210)
LC50/ 35d	42 mg/L (fish) (OECD 210)

63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides

EC50/48h	0.16 mg/l (daphnia) (OECD 202)
LC50/96h	0.15 mg/l (fish) (OECD 203)

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 9)

ErC50 / 72 h	0.29 mg/l (algae) (OECD 201)
ErC10/72h	0.138 mg/L (algae) (OECD 201)

· **12.2 Persistence and degradability**

80-62-6 methyl methacrylate

Biodegradation 94 % /14d (not defined) (OECD 301C)

2082-81-7 1,4-butandiol dimethacrylate

Biodegradation 84 % /28d (not defined) (OECD 310)

79-41-4 methacrylic acid

Biodegradation 86 % /28d (not defined) (OECD 301D)

63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides

Biodegradation 10-<20 % /60d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN1247

· **14.2 UN proper shipping name**

· **ADR**

1247 METHYL METHACRYLATE MONOMER,
STABILIZED solution

· **IMDG, IATA**

METHYL METHACRYLATE MONOMER,
STABILIZED solution

(Contd. on page 11)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 10)

· 14.3 Transport hazard class(es)

· ADR



· **Class** 3 (F1) Flammable liquids.
· **Label** 3

· IMDG, IATA



· **Class** 3 Flammable liquids.
· **Label** 3

· 14.4 Packing group

· **ADR, IMDG, IATA** II

· 14.5 Environmental hazards:

· **Marine pollutant:** No

· 14.6 Special precautions for user

Warning: Flammable liquids.

· **Kemler Number:** 339
· **EMS Number:** F-E,S-D
· **Stowage Category** B
· **Stowage Code** SW2 Clear of living quarters.

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

· Transport/Additional information: -

· ADR

· **Limited quantities (LQ)** 1L
· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
· **Transport category** 2
· **Tunnel restriction code** D/E

· IMDG

· **Limited quantities (LQ)** 1L
· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

(Contd. on page 12)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 11)

· **UN "Model Regulation":**

UN 1247 METHYL METHACRYLATE
MONOMER, STABILIZED SOLUTION, 3, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category P5c** FLAMMABLE LIQUIDS
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
 - **Information about limitation of use:**
 - Employment restrictions concerning young persons must be observed.
 - Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

- SADT: Self Accelerating Decomposition Temperature
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 3: Acute toxicity – Category 3
- Skin Corr. 1A: Skin corrosion/irritation – Category 1A
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C

(Contd. on page 13)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 7 (replaces version 6)

Revision: 03.06.2022

Trade name: Technovit 4006 liquid

(Contd. of page 12)

*Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Skin Sens. 1: Skin sensitisation – Category 1**Skin Sens. 1B: Skin sensitisation – Category 1B**Repr. 2: Reproductive toxicity – Category 2**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1***Sources***(EC) 1272/2008: classification, labelling and packaging of substances and mixtures**(EC) 1907/2006: UK REACH**ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport*** Data compared to the previous version altered.*

GB