

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **Technovit 4000 Powder**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

 - **Application of the substance / the mixture** Resin for metallographic testing
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Kulzer GmbH
Leipziger Straße 2, 63450 Hanau (Germany)
Tel.: +49 (0)6181 9689-2570 (Wehrheim)
 - **Informing department:** email: technik.wehrheim@kulzer-dental.com
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification


- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**


Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure.
Route of exposure: Inhalation.


Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

 - **Hazard pictograms**


GHS07


GHS08


GHS09
 - **Signal word** Danger
 - **Hazard-determining components of labelling:**

Quartz (SiO₂)
dibenzoyl peroxide
 - **Hazard statements**

H317 May cause an allergic skin reaction.
H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
H411 Toxic to aquatic life with long lasting effects.
 - **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
- **2.3 Other hazards -**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

· **vPvB:** Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** -

· **Dangerous components:**

CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO ₂) STOT RE 1, H372	>90%
CAS: 94-36-0 EINECS: 202-327-6 Reg.nr.: 01-2119511472-50-xxxx	dibenzoyl peroxide Self-react. B, H241; Org. Perox. B, H241 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Eye Irrit. 2, H319; Skin Sens. 1, H317	≥1-<2.5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Take affected persons into the open air.

Personal protection for the First Aider.

· **After inhalation**

Supply fresh air; consult doctor in case of symptoms.

In case of unconsciousness bring patient into stable side position for transport.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· **After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

Remove contact lenses, if present and easy to do. Continue rinsing.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

Allergic reactions

Breathing difficulty

Coughing

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire

Carbon dioxide (CO₂)

Carbon monoxide (CO)

(Contd. on page 3)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

(Contd. of page 2)

- **5.3 Advice for firefighters**
 - **Protective equipment:**
Wear self-contained breathing apparatus.
(EN 133)
 - **Additional information** Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid contact with eyes and skin.
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.
Avoid causing dust.
- **6.2 Environmental precautions:**
Do not allow to enter the ground/soil.
Damp down dust with water spray jet.
Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Send for recovery or disposal in suitable containers.
Collect mechanically.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Carry out filling operations only at sites with extractors available.
Avoid contact with eyes and skin.
Provide suction extractors if dust is formed.
Any deposit of dust which cannot be avoided must be removed regularly.
Prevent formation of dust.
Ensure good ventilation/exhaustion at the workplace.
 - **Information about protection against explosions and fires:** Protect from heat.
 - **Handling**
do not mix with
Strong bases
Strong acids
organic peroxides
Strong oxidizers
reducing agent
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:**
Store in cool, dry place in tightly closed containers.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Store container in a well ventilated position.
- **7.3 Specific end use(s)** No further relevant information available.

GB
(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

14808-60-7 Quartz (SiO₂)

AGW (European Union)	Long-term value: 0.1 mg/m ³
BOELV (European Union)	Long-term value: 0.1* mg/m ³ *respirable fraction

94-36-0 dibenzoyl peroxide

WEL (Great Britain)	Long-term value: 5 mg/m ³
---------------------	--------------------------------------

· **DNELs**

94-36-0 dibenzoyl peroxide

Oral	general population, long term, systemic	2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.3 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	39 mg/m ³ (not defined)

· **PNECs**

94-36-0 dibenzoyl peroxide

freshwater	0.00002 mg/l (not defined)
marine water	0.000002 mg/l (not defined)
sewage treatment plant	0.35 mg/l (not defined)
sediment, dry weight, freshwater	0.013 mg/Kg (not defined)
sediment, dry weight, marine water	0.001 mg/Kg (not defined)
soil, dry weight	0.003 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

- Keep away from foodstuffs, beverages and food.
- Instantly remove any soiled and impregnated garments.
- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes and skin.
- Do not inhale dust / smoke / mist.

· **Breathing equipment:**

- Use a mask with particle filter in case of dust generation.
- Filter P2.

· **Hand protection**

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- chemical protection gloves are suitable, which are tested according to EN 374
- If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.
- Check protective gloves prior to each use for their proper condition.

· **Material of gloves**

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- NBR: acrylonitrile-butadiene rubber (0,11 mm)

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

(Contd. of page 4)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
>30 min
- **Eye/face protection** eye protection (EN 166)
- **Body protection:** Light weight protective clothing
- **Environmental exposure controls**
Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

- | | |
|---|--|
| · Physical state | Solid. |
| · Colour: | Cream coloured |
| · Smell: | Odourless |
| · Odour threshold: | Not determined. |
| · Melting point/freezing point: | Not determined |
| · Boiling point or initial boiling point and boiling range | Not determined
components: no information available |
| · Flammability | Not applicable. |
| · Lower and upper explosion limit | |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| · Flash point: | Not applicable |
| · Decomposition temperature: | Not determined. |
| · SADT | |
| · pH | Not determined.
Not applicable. |
| · Viscosity: | |
| · Kinematic viscosity | Not determined. |
| | Not applicable. |
| · dynamic: | Not determined.
Not applicable. |
| · Solubility | |
| · Water: | Not miscible or difficult to mix |
| · Partition coefficient n-octanol/water (log value) | Not determined. |
| · Steam pressure: | Not determined.
Not applicable. |
| · Density and/or relative density | |
| · Density at 20 °C | 2.50317 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |

· 9.2 Other information

No further relevant information available.

· Appearance:

- **Form:** Powder

· Important information on protection of health and environment, and on safety.

- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

(Contd. of page 5)

- **Change in condition**
- **Evaporation rate** Not determined.
- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials:**
 - Strong bases
 - Strong acids
 - Strong oxidizers
 - reducing agent
 - organic peroxides
- **10.6 Hazardous decomposition products:** None
- **Additional information:** -

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

94-36-0 dibenzoyl peroxide

Oral	LD0	>2,000 mg/kg (mouse) (OECD 401)
Inhalative	LC0/4h	24.3 ppm (rat) (OECD 403)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
 - May cause an allergic skin reaction.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

(Contd. of page 6)

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
 Taking into account the current state of scientific knowledge, no data on endocrine disrupting properties of the product are available.

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

94-36-0 dibenzoyl peroxide

EC50/72h	0.042 mg/l (algae) (OECD 201)
EC50/48h	0.11 mg/l (daphnia) (OECD 202)
LC50/96h	0.06 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.071 mg/l (algae) (OECD 201)
NOEC / 72h	0.02 mg/l (algae) (OECD 201)
NOEC / 96h	0.032 mg/l (fish) (OECD 203)
NOEC / 48h	0.076 mg/l (daphnia) (OECD 202)
ErC10	0.001 mg/L /21d (daphnia) (OECD 211)

· **12.2 Persistence and degradability**

94-36-0 dibenzoyl peroxide

Biodegradation 71 % /28d (not defined) (OECD 301D)

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Harmful to aquatic organisms
 Avoid transfer into the environment.
 Do not allow product to reach ground water, water bodies or sewage system.
 Danger to drinking water if even small quantities leak into soil.

GB
 (Contd. on page 8)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

(Contd. of page 7)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN3077

· **14.2 UN proper shipping name**

· **ADR**

3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)

· **IMDG**


ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), MARINE POLLUTANT

· **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

9 (M7) Miscellaneous dangerous substances and articles.

· **Label**

9

· **IMDG, IATA**



· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **14.4 Packing group**

· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

Symbol (fish and tree)

· **Special marking (ADR):**

Symbol (fish and tree)

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

(Contd. of page 8)

· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Kemler Number:	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	-
· ADR	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
· Transport category	3
· Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category E2** Hazardous to the Aquatic Environment
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
 - **Information about limitation of use:**
 - Employment restrictions concerning young persons must be observed.
 - Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2022

Version number 8

Revision: 27.04.2022

Trade name: Technovit 4000 Powder

(Contd. of page 9)

· Relevant phrases*H241 Heating may cause a fire or explosion.**H317 May cause an allergic skin reaction.**H319 Causes serious eye irritation.**H372 Causes damage to organs through prolonged or repeated exposure.**H400 Very toxic to aquatic life.**H410 Very toxic to aquatic life with long lasting effects.***· Abbreviations and acronyms:***SADT: Self Accelerating Decomposition Temperature**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**DNEL: Derived No-Effect Level (GB REACH)**PNEC: Predicted No-Effect Concentration (GB REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Self-react. B: Self-reactive substances and mixtures – Type B**Org. Perox. B: Organic peroxides – Type B**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Skin Sens. 1: Skin sensitisation – Category 1**STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2***· Sources***(EC) 1272/2008: classification, labelling and packaging of substances and mixtures**(EC) 1907/2006: GB REACH**ADR/RID/ADN - IMDG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport***· * Data compared to the previous version altered.**

GB